

1000A

Silikon-Dichtstoff


1. Produkttyp Eindeutiger Identifikationscode des Produkttyps:	1000A
2. Typen-, Chargen-oder Seriennummer zur Identifizierung des Bauprodukts, wie unter Artikel 11 (4):	1000A Chargennummer auf der Verpackung
3. Bestimmungsgemäßer Gebrauch oder Verwendungen des Bauprodukts in Übereinstimmung mit der geltenden harmonisierten technischen Spezifikation, wie vom Hersteller vorgesehen:	Dichtstoff für Verwendung in Verbindungen in Gebäuden: Fassadenelemente, Verglasungen und in Sanitärbereichen. Type F EXT-INT - Class 12.5 E & Type G - Class 20 LM & Type S - Class XS1
4. Namen, eingetragener Handelsnamen oder eingetragene Warenzeichen und Kontakt-Adresse des Herstellers wie gemäß Artikel 11 (5) gefordert:	Momentive Performance Materials Silicones B.V. Plasticslaan 1 4612PX Bergen op Zoom, The Netherlands
5. Name des autorisierten Vertreters	Nicht anwendbar
6. Beurteilungs- und Prüfungssystem(e) Leistungsbeständigkeit der Konstruktion des Produkts wie in der CPR, Annex V festgelegt:	System 13
7. Harmonisierte Norm und Benannte Stelle für den Fall, dass die Leistungserklärung ein Bauprodukt betrifft, das durch eine harmonisierte Norm abgedeckt ist	EN15651-1 & 2 & 3 Benannte Stelle 0074
8. Europäische Technische Bewertung und Benannte Stelle für den Fall, dass die Leistungserklärung ein Bauprodukt betrifft, das durch eine Europäische Technische Bewertung abgedeckt ist:	Nicht anwendbar

GE is a registered trademark of General Electric Company and is under license by Momentive Performance Materials Inc. Momentive Performance Materials provides versatile materials as the starting point for its creative approach to ideas that help enable new developments across hundreds of industrial and consumer applications. We are helping customers solve product, process, and performance problems; our silanes, fluids, elastomers, sealants, resins, adhesives, urethane additives, and other specialty products are delivering innovation in everything from car engines to biomedical devices. From helping to develop safer tires and keeping electronics cooler, to improving the feel of lipstick and ensuring the reliability of adhesives, our technologies and enabling solutions are at the frontline of innovation.



Licensed
Products

Leistungserklärung 1000A

9. Deklarierte Leistung		
Grundlegende Eigenschaften	Leistung	hEN oder ETA
Brandverhalten	Klasse E	EN15651-1 & 2 & 3
Freisetzung von für die Umwelt und die Gesundheit gefährlichen Chemikalien.	Siehe MSDB (Material-Sicherheits-Datenblatt)	
WASSER- UND LUFTBESTÄNDIGKEIT		
Fließwiderstand	≤ 3 mm	
Volumenverlust	≤ 30%(F); ≤40% (G); ≤30% (S)	
Zugeigenschaften	NF	
Mikrobiologisches Wachstum	1	
Elastic recovery	≥ 60% (G)	
Haltbarkeit	bestanden	
10. Erklärung		
<p>Die Leistung des in Punkt 1 und 2 genannten Produkts steht in Übereinstimmung mit der in Punkt 9 erklärten Leistung. Die Leistungserklärung wird unter alleiniger Verantwortung des in Punkt 4 genannten Herstellers herausgegeben. Unterzeichnet für und im Namen des Herstellers von:</p>		
<p>Name und Funktion: <i>Pepijn van Iersel, Product Manager Sealants EMBAL</i> Ort und Datum der Ausstellung: <i>Bergen op Zoom, Netherlands, May 27th, 2014</i> Unterschrift: </p>		

THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC., MOMENTIVE PERFORMANCE MATERIALS USA INC., MOMENTIVE PERFORMANCE MATERIALS ASIA PACIFIC PTE. LTD., MOMENTIVE PERFORMANCE MATERIALS WORLDWIDE INC., MOMENTIVE PERFORMANCE MATERIALS GmbH, THEIR SUBSIDIARIES AND AFFILIATES DOING BUSINESS IN LOCAL JURISDICTIONS (collectively "SUPPLIERS"), ARE SOLD BY THE RESPECTIVE LEGAL ENTITY OF THE SUPPLIER SUBJECT TO SUPPLIERS' STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIERS MAKE NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING SUPPLIERS' PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. AFOREMENTIONED EXCLUSIONS OR LIMITATION OF LIABILITY ARE NOT APPLICABLE TO THE EXTENT THAT THE END-USE CONDITIONS AND/OR INCORPORATION CONDITIONS CORRESPOND TO THE RECOMMENDED CONDITIONS OF USE AND/OR OF INCORPORATION AS DESCRIBED BY SUPPLIER IN ITS PRODUCT DATA SHEET AND/OR PRODUCT SPECIFICATIONS. EXCEPT AS PROVIDED IN SUPPLIERS' STANDARD CONDITIONS OF SALE, SUPPLIERS AND THEIR REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN.

Each user bears full responsibility for making its own determination as to the suitability of Suppliers' materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Suppliers' products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Suppliers' Standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Suppliers. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Suppliers or any of its subsidiaries or affiliates covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.

*SilPruf, SilShield, UltraGlaze and UltraSpan are trademarks of Momentive Performance Materials Inc. GE is a registered trademark of General Electric. Momentive is a trademark of Momentive Performance Materials Holdings LLC. Copyright 2014 Momentive Performance Materials Inc. All rights reserved.

CE Marking Information

CE	
0074	
Momentive Performance Materials	
14	
DOP-1000A-01	
EN15651-1, 2 & 3	
Non-structural sealants for use in façade elements, glazing and sanitary joints	
Type F EXT-INT - Class 12.5 E, Type G - Class 20 LM & Type S - Class XS1	
Conditioning: Method A	
Substrate: Glass without primer, Aluminium with primer SS4155	
REACTION TO FIRE	Class E
RELEASE OF CHEMICALS DANGEROUS TO THE ENVIRONMENT AND HEALTH	See MSDS
WATER TIGHTNESS AND AIR TIGHTNESS	
Resistance to flow	≤ 3 mm
Loss of volume	≤ 30% (F); ≤ 40% (G); ≤ 30% (S)
Tensile properties ie elongation after immersion in water at 23°C	NF
Microbiological growth	1
Elastic Recovery	≥ 60% (G)
DURABILITY	Pass

THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC., MOMENTIVE PERFORMANCE MATERIALS USA INC., MOMENTIVE PERFORMANCE MATERIALS ASIA PACIFIC PTE. LTD., MOMENTIVE PERFORMANCE MATERIALS WORLDWIDE INC., MOMENTIVE PERFORMANCE MATERIALS GmbH, THEIR SUBSIDIARIES AND AFFILIATES DOING BUSINESS IN LOCAL JURISDICTIONS (collectively "SUPPLIERS"), ARE SOLD BY THE RESPECTIVE LEGAL ENTITY OF THE SUPPLIER SUBJECT TO SUPPLIERS' STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIERS MAKE NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING SUPPLIERS' PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. AFOREMENTIONED EXCLUSIONS OR LIMITATION OF LIABILITY ARE NOT APPLICABLE TO THE EXTENT THAT THE END-USE CONDITIONS AND/OR INCORPORATION CONDITIONS CORRESPOND TO THE RECOMMENDED CONDITIONS OF USE AND/OR OF INCORPORATION AS DESCRIBED BY SUPPLIER IN ITS PRODUCT DATA SHEET AND/OR PRODUCT SPECIFICATIONS. EXCEPT AS PROVIDED IN SUPPLIERS' STANDARD CONDITIONS OF SALE, SUPPLIERS AND THEIR REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN.

Each user bears full responsibility for making its own determination as to the suitability of Suppliers' materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Suppliers' products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Suppliers' Standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Suppliers. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Suppliers or any of its subsidiaries or affiliates covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.



Licensed
Products

CE-01 (1/06/2014)