


Date: 23-09-2015

To
The Member Secretary,
TamilNadu Pollution Control Board,
73, Mount salai, Guindy,
Chennai 600 032



Dear Sir,

Sub: Submission of Environment Statement April 2014 to March-2015 regarding
Ref: Environmental Protection Rules-1986 Rule Number 14 & "Form - V"

With reference to the above subject and as a part of complying the statutory requirements we would like to submit the Environmental statement in "Form-V to your office with necessary details for your kind reference and for your record please.

Kindly acknowledge the same.

Yours faithfully,
For Momentive Performance Materials (India) Private Limited,

Authorized Signatory

CC to:

- The District Environment Engineer,
593/3, Bazaar Street, Balaji Complex, Padappai-601031,
Sriperumbudur Tk, Kancheepuram District.
- Additional Principal Chief Conservator of Forests (C),
Ministry of Environment, Forest and Climate Change,
Regional Office (SEZ),
1st and IInd Floor, Handloom Export Promotion Council,
34, Cathedral Garden Road, Nungambakkam,
Chennai - 34

FORM V				
Rule No 14 ,Under Environmental Protection Rules 1986				
Environmental Statement For The Financial Year Ending The 31 st March 2015				
PART A				
i}	Name and address of the owner/Occupier of the industry operations or process	Momentive Performance Materials (India) Private Ltd, B-3,SIPCOT Industrial Growth center, Oragadam – 602105, Sriperumbudur Tk, Kancheepuram DT, Tamilnadu.		
ii}	Industry category Primary– (STC code) Secondary – (STC Code)	Red		
iii}	Production capacity – Units –	PRODUCTS	MT / MONTH	MT/ ANNUM
		Silicone Fluids(Aminos/PDMS)	141	1692
		Abn Quats	78	936
		Silicone Emulsion	156	1872
		UV Hard Coats	27	324
		Silicone Polymer & Elastomer (HCR)	135	1620
		Silicone Sealant Repacking	125	1500
		Silicone Surfactants (UA/Personal Care blend)	243	2916
		Octa methyl Cyclo Tetra Siloxane(OMCTS/Poly Dimethyl Siloxane(PDMS)	150	1800
Heat Cured Rubber gum	49	588		
iv}	Year of Establishment	2009		
v}	Date of last Environmental statement submitted	24/9/2013		
PART B				
{1}	Water and Raw Material Consumption			
	Water consumption M3 / Day -Total	35 M³ / day		
	Process	13.0 M ³ / day		
	cooling	13.0 M ³ / day		
	Domestic	9.0 M ³ / day		
	Name of the products	Process water consumption per unit of product output		
		During the previous financial Year	During the Current financial Year April-2010 to March-2011 M3 / MT	
		{1}	{2}	
	1 Silicone Fluids(Aminos/PDMS)			
	2 Abn Quats			
	3 Silicone Emulsion	Refer Annexure -1		
	4 UV Hard Coats			

5	Silicone Polymer & Elastomer (HCR)			
6	Silicone Sealant Repacking			
7	Silicone Surfactants (UA/Personal Care blend)			
{2}	** Raw Material Consumption			
	Name of the Raw material	Name of the products	Consumption of the raw material per During the previous financial Year	
(Refer Annexure - 2)				
** Industry may use codes if disclosing details of raw material would violate Contractual obligations ,otherwise all industries have to name the ram materials used				
PART C				
Pollution discharged to Environment/ Unit of Output				
[Parameter as specified in the consent issued				
	Pollution	Quantity of pollutants Discharged (Mass / Day)	Concentrations of Pollutants in discharges Mass / Volume	Percentage of variation from prescribed standards with reasons
Water				
	Process waste water	22 M ³ / Day	Zero Liquid	Within the limits
	Domestic waste water	9.0 M ³ / Day	Biologically treated & The treated water reused for Gradening	Within the limits
	Air	Utilities & Process off gas stack discharged as per norms		Within the limits
PART D				
Hazardous waste				
As specified under Haz waste (Management and Handling Rules 1989)				
Hazardous wastes		Total Quantity (Kg)		
a)	Process	During the previous financial Year	During the Current financial Year	
b)	From pollution control Facilities	NA	N A	
(Refer Annexure - 3)				
PART E				
Solid wastes				
		Total Quantity		
		During the previous financial Year	During the Current financial Year	
a)	Process			
b)	From pollution control Facilities			
c)	Quantity Recycled or reutilised within the unit			
d)	Solid			
e)	Disposed			
(Refer Annexure - 3)				

PART F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

(Refer Annexure - 3)

PART G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production.

(Refer Annexure - 4)

PART H

Additional measures/investment proposal for environmental protection including abatement of pollution.

(Refer Annexure - 5)

PART-I

Any other particulars in respect of environmental protection and abatement of pollution.

(Refer Annexure - 6)

Annexure 1

Water consumption per unit of product output

S No	Products	Raw Materials	From April-2013 to March-2014	From April-2014 to March-2015
			M3/MT	
1	Aminosiloxane	Oetra Methyl Cyclo Tetra Siloxane (D 4)	NIL	NIL
		Catalyst		
		Siloxane		
2	Abn Quats	De-Mineralised Water	0.0219	0.0200
3	Emulsion	De-Mineralized Water *	0.5105	0.5108
4	UV Hard Coats	Methoxy Propanol	NIL	NIL
		Lucirin		
		Baysillon		
		Hard Coat		
		Ebecryl		
		Tinuvin 123		
5	Heat Cured rubber HCR	Heat Cured Rubber Gum	NIL	NIL
		Silica-Fumed/ Precipitated		
		HMDZ		
		Dispersion oils		
		Base Rubber		
6	Ureathene Additives blends	Polyvornol	NIL	NIL
		Silicone polymers		
		Soybean oil		
		Dipropyleneglycol		
		Isopropanol		
		Ucar Filmer		
		Diluents		
7	Sealants	Sealants from our other companies	NIL	NIL

* DM water is purchased externally

Annexure 2				
Raw material consumption				
S No	Products	Raw Materials	From April 2013 to March-2014	From April 2014 to March-2015
1	Aminosiloxane	Octra Methyl Cyclo Tetra Siloxane (D 4)	0.9982	0.9984
		Catalyst	0.0034	0.0020
		Siloxane	0.0186	0.0170
2	Abn & Quats	Si-H fluid	0.9422	0.8330
		Amine Salt Solution	0.0823	0.0995
		Downol	0.0383	0.0911
		De-Mineralised Water	0.0219	0.0200
3	Emulsions	Silicone Oil	0.2502	0.2087
		Additives (Acetic Acid & Polyethylene glycol)	0.2480	0.2805
		De-Mineralized Water *	0.5105	0.5108
4	UV Hard Coats	Methoxy Propanol	0.3178	0.3178
		Lucirin	0.0123	0.0123
		Baysillon	0.0822	0.0822
		Hard Coat	0.0394	0.0394
		Ebecryl	0.5465	0.5465
		Tinuvin 123	0.0047	0.0047
5	Heat Cured rubber HCR	Heat Cured Rubber Gum	0.0280	0.0280
		Silica-Fumed/ Precipitated	0.0290	0.0290
		HMDZ	0.0001	0.0001
		Dispersion oils	0.0018	0.0018
		Base Rubber	0.9420	0.9420
6	Ureathene Additives blends	Polyvornol		
		Silicone polymers	0.545	0.6815
		Soybean oil		
		Dipropyleneglycol	0.4623	0.318
		Isopropanol		
		Ucar Filmer		
		Diluents		
7	Sealants	Sealants from our other companies	Repacking	Repacking

Annexure -3

Part - D

Hazardous waste Details

S No	Physical form and Description of the Haz waste Generated	Haz. Category as per TNPCB	From April-2013 to March-2014	From April-2014 to March-2015	UOM	Disposal method
			Quantity/ Annum			
1	Used Oil	5.1	NIL	NIL	MT	Disposed to Sasi Industries Dindugal.
2	Spent Solvent	20.2	NIL	NIL	MT	Disposed to Sasi Industries Dindugal.
3	Cotton waste & Used Gloves contaminated with Silicone oil Residue	27.1	11.82	37.462	MT	Disposed to Tamil Nadu Waste Management facility at Gummidipoondi.
4	ETP Sludge	34.3	NIL	5.980	MT	Disposed to Tamil Nadu Waste Management facility at Gummidipoondi.

Part- E

Solid wastes

Non - Hazardous waste

S No	Physical form and Description of the Non Hazardous waste Generated	From April-2013 to March-2014	From April-2014 to March-2015	UOM	Disposal method
		Quantity/ Annum			
1	Sewage Treatment Plant Sludge (Non Hazardous)	1.25	1.44	MT	Used as manure for gardening inside the premises.
2	waste cotton boxes / Packing materials/Plastic covers	27.859	29.56	MT	Disposed to M.G Traders, Chennai.
3	Product Drums M S	103.0	107.64	MT	Disposed to T.Sathya Narayana Chetty, Chennai.
4	Product Drums Plastic	8.8	21.10	MT	
5	Empty Carbuoys Plastic	2.9	8.10	MT	

Part - G

Annexure - 4

Impact of the Pollution control measures on Naturally resources conservation

Conservation measures

A Water conservation

B Power conservation

C Soil conservation measures

A Water conservation

- 1 Treated water Sewage and Effluent treatment plant are operated and maintained by the third party competent person and the discharge water is being reused for process /Gardening needs within the premises, thereby Raw water procurement is optimized.
- 2 Awareness on conservation of water among the workers are practiced
- 3 Display boards on effective utilization of water as an eye opener.
- 4 To conserve and effective utilization of water, Orifice plates provided in the pipe line and information boards displayed at the utility points.
- 5 Rain water Harvesting system incorporated to maintain/increase the underground water level at the site
- 6 Collected rainwater is used for gardening purposes
- 7 To control and to monitor the water consumption Water Flow meters fixed in all utility points and wherever specific consumption is high conservation measures will be taken.
- 8 Necessary manpower is provided to monitor the conservation programme
- 9 All water taps and pipe lines were monitored periodically and replace the defects to minimize the water wastages.

B Power conservation

- 1 High efficiency equipments are in service to perform and conserve naturally occurring fuels
- 2 Switching off the Electrical equipments in time to avoid waste electrical energy.
- 3 Installed Capacitors to attain the Power factors up to 98%
- 4 Energy saving Fluorescence bulbs are used instead of the conventional Incandescence bulbs
- 5 Natural illuminations is effectively utilized and usage of electrical lights are minimized.
- 6 Display boards on effective utilization of power as an eye opener.
- 7 Periodical Cleaning of lighting covers and shades to minimize more number of lights and for effective illumination
- 8 Periodical Preventive maintenance is in practice, thereby excess noise released and energy consumed by the equipment is minimized.

C Soil conservation measures

- 1 The Site is fully covered with walls with suitable drains there by erosion of soil due to heavy rain is minimized.
- 2 Rain water Harvesting system existing to minimize the soil erosions.
- 3 Plantation of trees to minimize the soil erosion.
- 4 Proper drains and trenches to minimize the earth erosion

Annexure 5

Part - H

Additional measures proposed for Environment protection and pollution prevention.

Proposed cost for implementing of Environment management system for the financial year - 2013 to 2014

S No	Area of development	Operational Cost in Lakhs / year
1	Projects to reduce power & fuel consumptions.	10
2	Effluent Treatment Plant Annual Maintenance by third party competent person	5
3	Sewage water treatment Annual maintenance by third party competent person	5
4	Environmental Monitoring By TNPCB - Central Advanced Lab	1
5	Stack Monitoring by third party competent person	4
6	Ambient Air quality monitoring by third party competent person	4
7	Safe Disposal of Hazardous waste by third party competent person	3
8	Green Belt development	2
9	Maintenance of gardening and House keeping	5
10	Display on Environment related Boards/signs	2
Total per Annum in INR		41

Environment Monitoring system

- 1 Environment is monitored round the clock. Patrolling round by Environment department, Shift in-charges, field section in-charges and Security personals. Any deviations noticed, Immediate corrective actions initiated.
- 2 Members of Environmental Management cell is force for exclusive monitoring of Environment.
- 3 Environmental Measuring and Monitoring by Third party competent persons

Details as follows:

Monitoring Frequency: once in a month

Method of sampling: ISO-Kinetic, Manual Procedure.

Monitoring Parameters: As per TNPCB Norms

Results: With in the norms

Particulars of monitoring

Ambient Air quality monitoring

Stack emission monitoring

Noise monitoring

ETP/STP inlet/outlet monitoring

working Zone monitoring

- 4 Ambient Air quality Monitoring at plant premises
(24 hours Continuous monitoring)
- 5 Waste water quality : Domestic(STP)
(24 hours Continuous monitoring)
- 6 ETP Zero Liquid Discharge: Out let of Effluent treatment Plant
(24 hours Continuous monitoring)
- 7 Noise level : Noise level Measurement at:
 - 1 Administration Block
 - 2 Process Air Blower area
 - 3 Compressor room
 - 4 D G Set area
 - 5 Boundary of the plant
- 8 Quality Physical & Chemical parameters and metals in Soil by Grab sampling method in Pre-monsoon and post Monsoon season.

Part - I

Annexure 6

Initiatives on Environments protection abatement

- 1 Focused Green belt development. More than 30% of the site area is covered by greenery plantations.
- 2 Periodical mockdrills on chemical spills, Leaks , Fire and Natural Hazards to check the alertness and necessary corrective actions are implemented to masticate any type of hazards.
- 3 Conducting Environmental related awareness programmes, quiz programmes are conducted during June 5 ,World Environment day.
- 4 Every year we plan to plant samplings of more than 100 Number in and around the industrial premises
- 5 We plan for Conducting training on Environmental awareness for the nearby village school students
- 6 Separate Bins placed at section wise for effective disposal of Bio-gradable and non bio-gradable wastes.
- 7 All the storages were provided with dyke arrangement.