

SCS5500 Multisil

Siliconen voegkit

1. Producttype Unieke identificatiecode van het product:	SCS5500 Multisil
2. Type, charge- of serienummer ter identificatie van het bouwproduct zoals vereist overeenkomstig artikel 11(4):	SCS5500 Multisil chargennummer op verpakking
3. Beoogd gebruik van het bouwproduct overeenkomstig de geharmoniseerde technische specificatie zoals voorzien door de fabrikant:	Voegkit voor gebouwen: gevelelementen en beglazing. Type F EXT-INT - Class 25 LM & Type G - Class 25 LM
4. Naam of gedeponeerd handelsmerk en contactadres van de fabrikant zoals vereist overeenkomstig artikel 11(5):	Momentive Performance Materials Silicones B.V. Plasticslaan 1 4612PX Bergen op Zoom, The Netherlands
5. Naam van de gemachtigde vertegenwoordiger	Niet van toepassing
6. Systeem/systemen voor beoordeling en controle van de duurzaamheid van de prestatie van het bouwproduct als bedoeld in CPR, Annex V:	Systeem 3
7. Geharmoniseerde Norm en aangemelde instantie als het bij de prestatieverklaring om een bouwproduct gaat waarop een geharmoniseerde norm (hEN) van toepassing is:	EN15651-1 & 2 Aangemelde Instantie 0074
8. Europese technische beoordeling en aangemelde instantie als het bij de prestatieverklaring om een bouwproduct gaat waarvoor een Europese technische beoordeling heeft plaatsgevonden:	Niet van toepassing

GE is a registered trademark of General Electric Company and is under license by Momentive Performance Materials Inc. Momentive Performance Materials provides versatile materials as the starting point for its creative approach to ideas that help enable new developments across hundreds of industrial and consumer applications. We are helping customers solve product, process, and performance problems; our silanes, fluids, elastomers, sealants, resins, adhesives, urethane additives, and other specialty products are delivering innovation in everything from car engines to biomedical devices. From helping to develop safer tires and keeping electronics cooler, to improving the feel of lipstick and ensuring the reliability of adhesives, our technologies and enabling solutions are at the frontline of innovation.



Licensed
Products

Prestatieverklaring SCS5500 Multisil

9. Verklaarde prestatie		
Essentiele eigenschappen	Prestatie	hEN of ETA
Brandreactie	Klasse E	EN15651-1 & 2
Vrijkomen van chemicalien gevaarlijk voor het milieu en de gezondheid	Zie MSDS	
WATER- EN LUCHTDICHTHEID		
Vloei	≤ 3 mm	
Volumeverlies	≤ 10%	
Trekeigenschappen	NF	
Microbiologische groei	Niet van toepassing	
Elastic recovery	≥ 70% (F); ≥ 60% (G)	
Duurzaamheid	Test doorstaan	

10. Verklaring	
De prestatie van het product overeenkomstig punt 1 en punt 2 stemt overeen met de aangegeven prestatie onder punt 9. Alleen de fabrikant als bedoeld onder punt 4 is verantwoordelijk voor de prestatieverklaring.	
Ondertekend voor en namens de fabrikant door:	
Naam en functie:	<i>Pepijn van Iersel, Product Manager Sealants EMBAL</i>
Plaats en datum van uitgifte:	<i>Bergen op Zoom, Netherlands, May 27th, 2014</i>
Signature	

THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC., MOMENTIVE PERFORMANCE MATERIALS USA INC., MOMENTIVE PERFORMANCE MATERIALS ASIA PACIFIC PTE. LTD., MOMENTIVE PERFORMANCE MATERIALS WORLDWIDE INC., MOMENTIVE PERFORMANCE MATERIALS GmbH, THEIR SUBSIDIARIES AND AFFILIATES DOING BUSINESS IN LOCAL JURISDICTIONS (collectively "SUPPLIERS"), ARE SOLD BY THE RESPECTIVE LEGAL ENTITY OF THE SUPPLIER SUBJECT TO SUPPLIERS' STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIERS MAKE NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING SUPPLIERS' PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. AFOREMENTIONED EXCLUSIONS OR LIMITATION OF LIABILITY ARE NOT APPLICABLE TO THE EXTENT THAT THE END-USE CONDITIONS AND/OR INCORPORATION CONDITIONS CORRESPOND TO THE RECOMMENDED CONDITIONS OF USE AND/OR OF INCORPORATION AS DESCRIBED BY SUPPLIER IN ITS PRODUCT DATA SHEET AND/OR PRODUCT SPECIFICATIONS. EXCEPT AS PROVIDED IN SUPPLIERS' STANDARD CONDITIONS OF SALE, SUPPLIERS AND THEIR REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN.

Each user bears full responsibility for making its own determination as to the suitability of Suppliers' materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Suppliers' products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Suppliers' Standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Suppliers. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Suppliers or any of its subsidiaries or affiliates covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.

*SilPruf, SilShield, UltraGlaze and UltraSpan are trademarks of Momentive Performance Materials Inc. GE is a registered trademark of General Electric. Momentive is a trademark of Momentive Performance Materials Holdings LLC. Copyright 2014 Momentive Performance Materials Inc. All rights reserved.

CE Marking Information

CE	
0074	
Momentive Performance Materials	
14	
DOP-SCS5500-01	
EN15651-1 & 2	
Non-structural sealants for use in façade elements and glazing joints	
Type F EXT-INT - Class 25 LM & Type G - Class 25 LM	
Conditioning: Method A	
Substrate: Glass without primer, Aluminium without primer & Concrete with primer SS4179	
REACTION TO FIRE	Class E
RELEASE OF CHEMICALS DANGEROUS TO THE ENVIRONMENT AND HEALTH	See MSDS
WATER TIGHTNESS AND AIR TIGHTNESS	
Resistance to flow	≤ 3mm
Loss of volume	≤ 10%
Tensile properties ie elongation after immersion in water at 23°C	NF
Elastic Recovery	≥ 70% (F); ≥ 60% (G)
DURABILITY	Pass

THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC., MOMENTIVE PERFORMANCE MATERIALS USA INC., MOMENTIVE PERFORMANCE MATERIALS ASIA PACIFIC PTE. LTD., MOMENTIVE PERFORMANCE MATERIALS WORLDWIDE INC., MOMENTIVE PERFORMANCE MATERIALS GmbH, THEIR SUBSIDIARIES AND AFFILIATES DOING BUSINESS IN LOCAL JURISDICTIONS (collectively "SUPPLIERS"), ARE SOLD BY THE RESPECTIVE LEGAL ENTITY OF THE SUPPLIER SUBJECT TO SUPPLIERS' STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIERS MAKE NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING SUPPLIERS' PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. AFOREMENTIONED EXCLUSIONS OR LIMITATION OF LIABILITY ARE NOT APPLICABLE TO THE EXTENT THAT THE END-USE CONDITIONS AND/OR INCORPORATION CONDITIONS CORRESPOND TO THE RECOMMENDED CONDITIONS OF USE AND/OR OF INCORPORATION AS DESCRIBED BY SUPPLIER IN ITS PRODUCT DATA SHEET AND/OR PRODUCT SPECIFICATIONS. EXCEPT AS PROVIDED IN SUPPLIERS' STANDARD CONDITIONS OF SALE, SUPPLIERS AND THEIR REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN.

Each user bears full responsibility for making its own determination as to the suitability of Suppliers' materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Suppliers' products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Suppliers' Standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Suppliers. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Suppliers or any of its subsidiaries or affiliates covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.



Licensed
Products

CE-01 (1/06/2014)